



AUSSIE DRAIN CLEANER JETTER SELECTION GUIDE

THE AUSSIE JETTER YOU WANT!

DRAIN CLEANING JETTERS

1. Select the best suited style of Jetter for your business



Classic Cube

(Super small footprint for ute mounting, with single ss reel fitted on top)



Double Stacker + Cube

(For ute mounting, with separate dual reel assembly, plumbing required, great for van installs)



Trolley mount

(Wheels fitted for mobility on site, Cobra & King Cobra only)



Urban Jetter

(Compact, lightweight Jetter trailer, easy to share between teams when the job needs a Jetter)



Trailer Jett

(Heavy duty trailer mounted Jetter with supply tank)



Jetting Accessories

To complete the package ... see page 45

2. Select size of Jetter required

A.	Cobra A	4,000 psi,	20 lpm,	Honda GX630	(Class A)	Drains to 6"	page 36
B.	King Cobra A	5,000 psi,	16 lpm,	Honda GX630	(Class A)	Drains to 6"	page 38
C.	King Cobra B ...	5,000 psi,	23 lpm,	Honda GX690	(Class B)	Drains to 7"	page 38
D.	Python ...	4,200 psi,	31 lpm,	Honda iGX800	(Class B)	Drains to 9"	page 40

SEPT 2024 | ISSUE 1

DRAIN CLEANING JETTERS


COBRA A *Deluxe*
HONDA 4,000PSI
CLASS A

Aussie's original Jetter, the Cobra A has the power to unblock drains up to 6" in diameter.

Designed by Plumbers for Plumbers, it's still popular with apprentices and those who need a to clear chokes occasionally.

Now it's available as a Cube mount with a Cobra Loc mounting kit included. It's super compact footprint is designed to take up minimum space on the ute tray.

Team it with an optional Viper Mini reel for the ability to reach chokes up to 60 metres away from the Jetter.




Classic Cube Version

20% more space efficient

POWERED by
HONDA

Specifications	Pressure	EWP with turbo	Flow lpm	Engine	Clears drains to	Pump	Nozzle size
Cobra A	4,000 psi (275 bar)	6,485 psi	20	Honda E/S GX630	6" (150mm)	TTL2028	050

SEPT 2024 | ISSUE 1



COBRA A JETTER ... IDEAL STARTER JETTER

- **'Big Berty' Bertolini** heavy duty Triplex pump for continuous service (page 100)
- **Genuine Honda** electric start industrial twin cylinder engine
- **30 litre stainless steel break tank** with cut off float and low water cut out pump protection
- **Stainless steel Mk3 Cube version**, smaller footprint, for permanent mounting on a ute ... comes complete with Cobra Loc. (no wheels)
- **NEW stainless steel Mk3 trolley frame** designed to fit through doorways
- **12 litre fuel tank**
- **FREE ASP** (Aussie safety protection) kit
- **NEW 5,000 psi** rated stainless steel hose reel



Click or scan QR code for Aussie Jetter handover video

COBRA A CUBE INCLUDED ACCESSORIES

- **60 metre Armadillo 1/4" sewer hose** (AHOSE RF8-60M)
- **Heavy duty wash down gun lance assembly** (CGPDG5010/C3905.15/C915050M)
- **7 piece jetting nozzle box** (AD NOZZLEBOX)
- **Safety plate** (AD MSP)
- **FREE Safety eyewear**

COBRA A CUBE WITH DOUBLE STACKER
(Double stacker also suits King Cobra A & B)
Includes all standard Cobra A accessories. The reel mounted on top is replaced by a double stacker reel kit.

- **5,000 psi stainless steel reel** with 60 metre 1/4" sewer hose
- **Low pressure steel reel** with 35m of 3/4" supply hose
- **Plumbing to jetter** required



Wash down gun

Safety eyewear

Nozzle box

Safety plate

Cobra Loc

Stock codes & pricing	Frame options	Stock code	Unit Dim (Lxwxh) mm	Weight
Cobra A	Classic Cube	ABSSCOBRA-A-CMK3	850x563x1230	130KG
	Double stacker + Cube	ABSSCOBRA-A-CDS		
	Trolley	ABSSCOBRA-A-MK3	900x600x1330	130KG

Bertolini Pump service kits ... p101

Optional accessories FASTER, SMARTER, SAFER

Viper Mini Reel ... REMOTE CONTROL

Leave your Jetter in the ute & extend your reach to 120m (60m on Jetter & 60m on mini reel)

- Stainless steel stand/handle
- Integrated on/off valve that allows remote control of Jetter
- 60m of Redflex 3/16" sewer hose
- Three nozzle holders
- Pressure gauge



AMINIREEL/WHOSE	(standard)	\$2,231
AMINIREEL-SS/WHOSE	(ss version)	\$2,880
Reel Lock Securing plate ...	AD MRLP	\$223

Aussie Super Worm Hose (15 metres)

1/4", 5,000 psi rated, super flexible sewer hose, ideal for small drains and tight bends.

Complete with Compressor nozzle & 1/4" quick fit tail.



AHOSER8 1/8 15M **\$463**

LOW PRESSURE REEL WITH 30M SUPPLY HOSE

Top quality low pressure steel reel with 30m of 3/4" supply hose

Black, powder coated
A4418-LP ASSY \$1,096
Stainless steel version ...
A4418SS-LPASSY ... \$1,392



FREE SAFE JETTING COURSE



Understand how a Jetter works, how to look after it & how to stay safe!

NEW KING COBRA *Deluxe*

HONDA 5,000PSI

CLASS A & B

RTO OPERATOR CERTIFICATION REQUIRED FOR CLASS B OPERATORS

JETTER 5,000 PSI
\$11,878

BERTOLINI
pumps

4 year warranty

Classic Cube Version


Aussie's best selling Honda jetters with 5,000 psi pressure for real whack.

Available as a **Class A** machine for those who don't want to be RTO certified, or a **Class B** for those that need the additional power that the extra flow delivers.

The **Cube mount version** includes a Cobra Loc mounting kit that secures the Jetter but makes it simple for the Jetter to be removed for service.

It's **super compact** to take up minimum space on the ute tray.

Team with an optional **Viper Mini reel** and you have the ability to reach chokes up to **60 metres** away from the Jetter.



Specifications

	Safety Class	Pressure	EWP with turbo	Flow lpm	Engine	Clears drains to	Pump	Nozzle size
King Cobra A Mk3	Class A	5,000 psi (350 bar)	8,500 psi	16	Honda E/S GX630	6" (150mm)	KTL1635	035
King Cobra Mk3	Class B	5,000 psi (350 bar)	8,500 psi	23	Honda E/S GX690	7" (180mm)	KTL2035	045



Emergency stop fitted to all Class B Jetters



King Cobra trolley frame

5,000 PSI KING COBRA JETTER (Class A & Class B)

- **Genuine Honda electric start industrial twin cylinder engine** (Emergency stop fitted to all Class B Jetters)
- **'Big Berty' KTL series Bertolini heavy duty Triplex pump** for continuous service (page 100)
- **NEW 32mm Mk3 stainless steel frame**
- **Trolley version** designed for mobile applications (fits through doorways)
- **Cube version**, smaller footprint, for permanent mounting on a ute ... comes complete with Cobra Loc.
- **30 litre stainless steel break tank** with cut off float and low water cut out pump protection
- **12 litre fuel tank**
- **FREE ASP** (Aussie safety protection) kit
- **Class B version** includes **FREE** hose restraint & emergency stop
- **NEW 5,000 psi** rated stainless steel hose reel with **60 m 3/4" R8** high quality sewer hose (AHOSE RF8-60M)
- Option to have Double stacker reel kit instead of reel fitted to top of Jetter. (see page 37 for details)

CLASS A JETTER INCLUDED ACCESSORIES

- **Heavy duty wash down gun/lance assembly** (CGPDG5010/C3905.15)
- **7 piece jetting nozzle box** (AD NOZZLEBOX-KCA)
- **Safety plate** (AD MSP)
- **FREE** Safety eyewear

CLASS B JETTER INCLUDED ACCESSORIES

- **Heavy duty wash down gun/lance assembly** (CGPDG5010/C3905.15)
- **7 piece jetting nozzle box** (AD NOZZLE BOX)
- **Safety plate** (AD MSP)
- **Hose restraint** (AD HRSS8)
- **FREE** Safety eyewear



Wash down gun Safety eyewear Nozzle box



Safety plate



Cobra Loc (cube versions only)



Hose restraint

Stock codes & pricing	Frame options	Stock code	Unit Dim (Lxwxh) mm	Weight
King Cobra A	Classic Cube	ABSSCOBRAKC-A-MK3	850x580x1230	140KG
	Double stacker & Cube	ABSSCOBRAKC-A-DS		
	Trolley	ABSSCOBRAK-A-MK3	900x600x1330	
King Cobra (Class B)	Classic Cube	ABSSCOBRAKINGCUBE-MK3	900x600x1330	140KG
	Double stacker & Cube	ABSSCOBRAKINGC-DS		
	Trolley	ABSSCOBRAKING-MK3	850x580x1230	

Bertolini Pump service kits ... p101

Optional accessories FASTER, SMARTER, SAFER

Viper Mini Reel ... REMOTE CONTROL

Leave your Jetter in the ute & extend your reach to 120m (60m on Jetter & 60m on mini reel)

- Stainless steel stand/handle
- Integrated on/off valve that allows remote control of Jetter
- 60m of Redflex 3/16" sewer hose
- Three nozzle holders
- Pressure gauge



AMINIREEL/WHOSE	(standard)	\$2,231
AMINIREEL-SS/WHOSE	(ss version)	\$2,880
Reel Lock Securing plate ...	AD MRLP	\$223

Aussie Super Worm Hose (15 metres)

3/4", 5,000 psi rated, super flexible sewer hose, ideal for small drains and tight bends. Complete with Compressor nozzle & 1/4" quick fit tail



AHOSE8 1/8 15M

\$463

FOOT VALVE ... MORE CONTROL

350 bar foot valve adds a second level of operator control, in addition to gun trigger (complies with new safety standards for Class B machines)



AST350-2605	(foot valve)	\$724
AD MFVPH	(whip hose kit)	\$274
AD HT12-M	(QC plug)	\$41
C200245500	(SS QC)	\$76

LOW PRESSURE REEL WITH SUPPLY HOSE

Top quality low pressure steel reel with 30m of 3/4" supply hose

Black, powder coated
A4418-LP ASSY \$1,096
Stainless steel version ...
A4418SS-LPASSY ... \$1,392



Click or scan QR code for Aussie Jetter handover video



NEW PYTHON *Deluxe*

HONDA iGX800
HIGH FLOW CLASS B
 RTO OPERATOR CERTIFICATION REQUIRED

JETTER
 HIGH FLOW
\$17,535

MINIMUM REQUIRED
CLASS B
 machine
 Refer standard
 for more details

Drains to
 230mm
9"

The **Aussie Python** is a powerful, high flow Jetter that is designed for professionals that specialise in clearing drains up to 9" in diameter.

At the heart of the system is a huge **Bertolini RAL** series pump that delivers up to 31 lpm flow!

The unit is driven by the

NEW Honda iGX800

with Electronic Fuel Injection for high performance

- ✓ Electric STR governor for smooth operation
- ✓ Drive by wire control
- ✓ Integrated Cylinder Head
- ✓ High capacity oil pump
- ✓ Oil Alert
- ✓ Automatic mechanical decompression



POWERED by
HONDA

Specifications

	Pressure	EWP with turbo	Flow lpm	Engine	Clears drains to	Pump	Nozzle size
NEW Python iGX800	4,200 psi (290 bar)	6,700 psi	31	Honda E/S iGX800	9" (230mm)	Premium RAS4482	070



Large RAS series Bertolini triplex pump



Built in Australia in large runs to keep costs low

PYTHON iGX800 JETTER ... FOR SPECIALISTS

- ♦ Genuine **Honda** electric start industrial **iGX800** fuel efficient twin cylinder engine
- ♦ 'Big Berty' RAS series Bertolini heavy duty Triplex pump for continuous service (page 102)
- ♦ **NEW 32mm stainless steel** frame
- ♦ **Cube version**, smaller footprint, for permanent mounting on a ute ... comes complete with Cobra Loc.

- ♦ **30 litre stainless steel break tank** with cut off float and low water cut out pump protection
- ♦ **12 litre fuel tank**
- ♦ **FREE ASP** (Aussie safety protection) kit
- ♦ **Class B version supplied with FREE** hose restraint & emergency stop
- ♦ **NEW 5,000 psi** rated stainless steel hose reel

PYTHON JETTER INCLUDED ACCESSORIES

- ♦ **60 metre Armadillo 3/8" sewer hose** (AHOSERF8 3/8 60M)
- ♦ **Heavy duty wash down gun/lance assembly** (CGPDG5010/C3905.15)
- ♦ **7 piece jetting nozzle box** (AD NOZZLE BOX)
- ♦ **Bandit 3/8" Nozzle** (AD BT6R1F10)
- ♦ **Screwdriver 3/8" nozzle** (AD SD6R1F10)
- ♦ **Safety plate** (AD MSP)
- ♦ **Hose restraint** (AD HRSS10)
- ♦ **FREE** Safety eyewear



PYTHON CUBE WITH DOUBLE STACKER

Includes all standard Python accessories. The reel mounted on top is replaced by a double stacker reel kit.

- ♦ **5,000 psi stainless steel reel** with 60 metre 3/8" sewer hose
- ♦ **Low pressure steel reel** with 35m of 3/4" supply hose
- ♦ **Plumbing to jetter required**



Wash down gun Safety eyewear Nozzle box

Safety plate

Cobra Loc

Hose restraint

Stock codes & pricing	Frame options	Stock code	Unit Dim (Lxwxh) mm	Weight
Python iGX800	Classic Cube	ABSSPYTHON-IGX	850x580x1230	150KG
	Double stacker + Cube	ABSSPYTHON-IGX-DS		
	Trolley	ABSSPYTHTR-IGX		

Bertolini Pump service kits ... p103

Optional accessories FASTER, SMARTER, SAFER

Viper Mini Reel ... REMOTE CONTROL

Leave your Jetter in the ute & extend reach to 120m (60m on Jetter & 60m on mini reel)

- Stainless steel frame & handle
- Integrated on/off valve that allows remote control of Jetter
- 60m of Redflex 1/4" sewer hose
- Three nozzle holders
- Pressure gauge



AMINIREELWH1/4 (standard)	\$2,310
AMINIREEL-SS1/4 (ss version)	\$2,940
Reel Lock Securing plate ... AD MRLP	\$223

Aussie Super Worm Hose (15 metres)

3/4", 5,000 psi rated, super flexible sewer hose, ideal for small drains and tight bends. Complete with Compressor nozzle & 1/4" quick fit tail



AHOSER8 1/8 15M **\$463**

FOOT VALVE ... MORE CONTROL

350 bar foot valve adds a second level of operator control, in addition to gun trigger (complies with new safety standards for Class B machines)



AST350-2605 (foot valve)	\$724
AD MFVPH (whip hose kit)	\$274
AD HT12-M (QC plug)	\$41
C200245500 (SS QC)	\$76

LOW PRESSURE REEL WITH SUPPLY HOSE

Top quality low pressure steel reel with 30m of 3/4" supply hose



Black, powder coated
A4418-LP ASSY
\$1,096

Stainless steel version ...
A4418SS-LPASSY ...
\$1,392

Click or scan QR code for Aussie Jetter handover video

